



FOSHAN COMINE FURNITURE CO.,LTD

Address: Room 403, 4th floor, Building A, Yuehua Industrial Building, Salon Road, Residents' Committee of Xiqiao Community, Jiujiang Town, Nanhai District, Foshan City.

Email: info@cominespace.com

Website: <https://cominespace.com>



COMINE OFFICE PODS

WHY DO WE NEED OFFICE PODS

When you need to focus in an open office, what do you do?

From solo work to team brainstorming, distractions are everywhere.

Since employees shift between different tasks all day,

an office pod offers not only sound insulation, but also comfort and convenience.





WE FOCUS ON CREATING PERSONALIZED AND SAFESOUNDPROOF OFFICE PODS

Comine pods are led by Marlon, a veteran with over 20 years in office furniture. We focus on people first, creating quiet and comfortable spaces for modern work.

With strong design and manufacturing skills, we make high-quality office furniture from ergonomic chairs to advanced pods. Our patented designs ensure unique looks and a better work experience.



VISION

Our vision is to become a global leader in office pod solutions, setting the industry standard for quality, affordability, and sustainability.



MISSION

At Comine, our mission is to change the way people work by offering quiet, private, and comfortable spaces with our innovative pods.

8 KEY BENEFITS OF COMINE OFFICE POD



01

PATENT DESIGN

Our product has design patent protection, ensuring exclusive benefits and win-win cooperation for our partners.

02

OEM SERVICES

We aim to be a leading global OEM manufacturer, helping partners create their own brands.

03

EXCLUSIVE DISTRIBUTOR

We can sign exclusive agency agreements to provide market protection for our partners.

04

SUPPORT CUSTOMIZATION

Our office pods can be fully customized, including colors and sizes, to meet specific needs.

05

LOW MOQ

The minimum order quantity is just 1, reducing inventory pressure for our partners.

06

WARRANTY

All products come with a 1-year warranty, with free replacement of any damaged parts.

07

DIRECT FACTORY PRICE

We offer the most competitive prices, allowing partners to achieve higher profits.

08

LOGISTICS SERVICES

We provide flexible logistics options like EXW, FOB, CIF, and DDP.

DESIGNED FOR FOCUS BUILT FOR COMFORT QUIET SPACE PERFECTED IN EVERY DETAIL



1 LIGHTING

Each pod comes with an LED ceiling light (4000K natural light, DC 12V), with adjustable brightness, anti-glare, and flicker-free. Different lighting setups can be tailored to match your specific work or relaxation needs.



LED





Anti-Glare



Ra92




Flicker-Free



2 CONTROL PANEL

Smart Control, Easy Use. Light and air adjustment at your fingertips – for comfort you can feel.




5 WOODEN HANDLE

Eco-friendly wooden handles with a warm, comfortable touch. Optional upgrades include magnetic or electronic locks for added style and convenience.



7 MOTION SENSOR

We care about energy saving and the environment. Comine pods are equipped with a motion sensor to control lights and fans, turning them on or off automatically depending on occupancy.



3 MULTI-LAYER SOUND INSULATION

Multi-Layer Wall Structure, Title 4: Layers of Quiet. Our wall panels block sound and absorb noise, giving you peace and privacy.



4 SAFETY ACOUSTIC GLASS

Clear Views, Better Silence. 6mm soundproof and shatter-resistant tempered glass, ensuring both safety and noise reduction.



6 PREFERRED FURNITURE

Ergonomically designed furniture made for the pod's interior is key to both work and leisure. Our designers have planned ahead, with every pod featuring mounting points for different furniture setups to fit a range of uses.

FITS ANY SPACE, MATCHES ANY STYLE ONE DESIGN, MANY LOOKS



CHOOSE FROM THREE EDGE STYLES AND FLEXIBLE SIZES TO FIT ANY ROOM AND MOOD



STRAIGHT EDGE

Clean and clear, maximizes space and keeps layouts neat.



DIAMOND EDGE

Bold and stylish, adds depth and saves room in tight spaces.



CURVED EDGE

Soft and flowing, reduces sharpness, makes spaces feel warmer and safer.






FAST SETUP, LONG-TERM VALUE

Set up in hours. Enjoy for years.

With a modular design of 6 prefabricated parts—roof, floor, two walls, front glass, and back glass—Comine pods are easy to assemble.

Single pod installs in about 40 minutes, four-person pod in just 1.5 hours.

No special tools or training needed—just smart design and easy setup.





ACOUSTIC PHONE BOOTHS & SMALL MEETING PODS

Dedicated spaces that foster a positive work environment.
Fully customizable pods to fit any space and need.
Designed to unlock focus and productivity.

COMINE BOOTH S




SIZE

OUTSIDE

W960 × D1000 × H2185 mm

INSIDE

W813 × D989 × H2005 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame (≥ 1.5 mm thick)
 - 1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 2 quiet fans with total airflow of 70m³/h
- Air refreshes fully in 2 minutes
- You can adjust the fan speed as needed
Air flows in from the top and goes out from the top – soft, quiet, and efficient

STANDARD FEATURES

LIGHTING	1 soft LED strip light (4000K natural white), no flicker, adjustable brightness
CONTROL PANEL	Simple touch panel with light and fan control + universal socket + USB + Type-C
POWER CABLE	2-meter cord, built-in from the side
POWER USE	Only 24W, works with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	1
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	243 KG / 535 LB
FLOOR AREA	≈0.96m ²
SOUNDPROOF	28±3db
OPTIONAL	Silent casters for easy movement

COMINE BOOTH M1-A




SIZE

OUTSIDE

W1555 × D1350 × H2185 mm

INSIDE

W1408 × D1202 × H2005 mm



MATERIALS

OUTSIDE

- Strong aluminum frame (≥ 1.5 mm thick)
- 1.0mm powder-coated steel wall panels

- 6mm tempered glass

- Solid wood door handle with magnetic close (smart lock optional)

INSIDE

- Multi-layer wall: steel + sound felt + foam + 12mm PET panel

- Acoustic panels on ceiling and walls for better privacy

- 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- Comes with 4 quiet fans, total airflow is 140m³/h

- Air refreshes fully in 2 minutes

- You can adjust the fan speed as needed

- Air flows in from the top and goes out from the top – soft, quiet, and efficient

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	1
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	362 KG / 796 LB
FLOOR AREA	≈2.1m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
DESKTOP	Adjustable height desktop
OPTIONAL	Silent casters for easy movement

STANDARD FEATURES

LIGHTING	1 LED strip light (4000K natural light, DC 12V), adjustable brightness, anti-glare, no flicker
CONTROL PANEL	Built-in panel with light and fan control + universal socket + USB + Type-C, fits worldwide plugs
POWER CABLE	2-meter external cable, connected from the side
POWER USE	30W, works with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

COMINE BOOTH M1-B




SIZE

OUTSIDE

W1555 × D1350 × H2185 mm

INSIDE

W1408 × D1260 × H2005 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame (≥ 1.5 mm thick)
 - 1.0mm powder-coated steel wall panels
- Front: 6mm tempered glass;
Back: 10mm tempered glass.
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- Comes with 4 quiet fans, total airflow is 140m³/h
- Refreshes all the air inside in just 2 minutes
- You can adjust the fan speed as needed
Air flows in from the top and goes out from the top – soft, quiet, and efficient

STANDARD FEATURES

LIGHTING	1 LED strip light (4000K natural white, DC 12V), brightness adjustable, anti-glare, no flicker
CONTROL PANEL	Built-in panel for light and fan control, with universal socket, USB, and Type-C – supports global plug types
POWER CABLE	2-meter external cable, exits from the side of the pod
POWER USE	30W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	2
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	389 KG / 856 LB
FLOOR AREA	≈ 2.1m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH M1-C




SIZE

OUTSIDE

W1555 × D1350 × H2185 mm

INSIDE

W1408 × D1260 × H2005 mm



MATERIALS

OUTSIDE

Strong aluminum frame (≥ 1.5 mm thick)
1.0mm powder-coated steel wall panels

• Front: 6mm tempered glass;
Back: 10mm tempered glass.

• Solid wood door handle with magnetic close (smart lock optional)

INSIDE

Multi-layer wall: steel + sound felt + foam + 12mm PET panel

• Acoustic panels on ceiling and walls for better privacy
• 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

• 4 silent fans, total airflow of 140m³/h
• Refreshes all air inside in just 2 minutes

• Adjustable speed with quiet airflow design
• Top-in, top-out – soft, smooth, and quiet airflow

STANDARD FEATURES

LIGHTING	1 LED strip light (4000K natural light, DC 12V), adjustable brightness, anti-glare, no flicker
CONTROL PANEL	Built-in panel with fan and light control, universal socket, USB, and Type-C – supports worldwide use
POWER CABLE	2-meter external cable, exits from the side of the pod
POWER USE	30W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	2
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	389 KG / 856 LB
FLOOR AREA	≈2.1m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH SL-A




SIZE

OUTSIDE

W2150 × D1200 × H2185 mm

INSIDE

W2003 × D1052 × H2005 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame (≥ 1.5 mm thick)
 - 1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 8 silent fans with total airflow of 280m³/h
- Fully refreshes the air inside in just 1.5 minutes
- Adjustable speed with quiet airflow design
- Top-in, top-out – smooth, quiet, and gentle airflow

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), adjustable brightness, anti-glare, and flicker-free
CONTROL PANEL	Integrated panel with fan and light control, universal socket, USB, and Type-C – works with international plugs
POWER CABLE	2-meter external cable
POWER USE	54W, supports 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	2
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	450 KG / 990 LB
FLOOR AREA	≈ 2.6m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH SL-B




SIZE

OUTSIDE

W2150 × D1200 × H2185 mm

INSIDE

W2003 × D1110 × H2005 mm



MATERIALS

OUTSIDE

Strong aluminum frame (≥ 1.5 mm thick)
1.0mm powder-coated steel wall panels

• Front: 6mm tempered glass;
Back: 10mm tempered glass.

• Solid wood door handle with magnetic close (smart lock optional)

INSIDE

Multi-layer wall: steel + sound felt + foam + 12mm PET panel

• Acoustic panels on ceiling and walls for better privacy
• 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

• 8 quiet fans with total airflow of 280m³/h

• Full air circulation completed in just 1.5 minutes

• Adjustable speed with quiet airflow design

• Air flows in and out from the top – soft, quiet, and efficient

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), brightness adjustable, anti-glare, and flicker-free
CONTROL PANEL	Built-in panel with fan and light controls, universal socket, USB, and Type-C – supports global plugs
POWER CABLE	2-meter external cable, exits from the side
POWER USE	54W, works with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	2
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	482 KG / 1060.5 LB
FLOOR AREA	≈2.6m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH L1-A




SIZE

OUTSIDE

W2150 × D1350 × H2185 mm

INSIDE

W2003 × D1202 × H2005 mm



MATERIALS

- **OUTSIDE**
Strong aluminum frame ($\geq 1.5\text{mm}$ thick)
1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
Multi-layer wall: steel + sound felt + foam + 12mm PET panel
- Acoustic panels on ceiling and walls for better privacy
- 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 8 silent fans with total airflow of $280\text{m}^3/\text{h}$
- Adjustable speed with quiet airflow design
- Completes full air circulation in just 2 minutes
- Top-in, top-out airflow – gentle, quiet, and efficient

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), brightness adjustable, anti-glare, and flicker-free
CONTROL PANEL	Integrated panel with light and fan control, universal socket, USB, and Type-C – supports global plugs
POWER CABLE	2-meter external cable, exits from the back
POWER USE	54W, supports 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	👤👤👤👤
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	480 KG / 1056 LB
FLOOR AREA	$\approx 2.9\text{m}^2$
SOUNDPROOF	$30\pm 3\text{ dB}$ (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH L1-B




SIZE

OUTSIDE

W2150 × D1350 × H2185 mm

INSIDE

W2003 × D1260 × H2005 mm



MATERIALS

OUTSIDE

Strong aluminum frame (≥ 1.5 mm thick)
1.0mm powder-coated steel wall panels

Front: 6mm tempered glass;
Back: 10mm tempered glass.

Solid wood door handle with magnetic close (smart lock optional)

INSIDE

Multi-layer wall: steel + sound felt + foam + 12mm PET panel

Acoustic panels on ceiling and walls for better privacy
8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

8 quiet fans with a total airflow of 280m³/h
Completes full air refresh in 2 minutes

Adjustable speed with quiet airflow design
Air flows in and out from the top – soft, quiet, and efficient

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	👤👤👤👤
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	512 KG / 1127 LB
FLOOR AREA	≈2.9m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), adjustable brightness, anti-glare, no flicker
CONTROL PANEL	Built-in panel with controls for light and fan, plus a universal socket, USB, and Type-C – works with global plugs
DESKTOP SOCKETS	2 universal sockets, 1 USB, 1 Type-C, and 1 wireless charger – easy to access while seated
POWER CABLE	2-meter external cable, exits from the side of the pod
POWER USE	54W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

COMINE BOOTH XL-A




SIZE

OUTSIDE

W2150 × D2100 × H2250 mm

INSIDE

W2003 × D1952 × H2005 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame (≥ 1.5 mm thick)
 - 1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 16 ultra-quiet fans with a total airflow of 560m³/h
- Full air refresh in just 1.5 minutes
- Adjustable speed with a quiet airflow system
- Top-in, top-out – gentle and quiet airflow

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), adjustable brightness, anti-glare, flicker-free
CONTROL PANEL	Built-in panel with controls for light and fan, plus universal socket, USB, and Type-C – fits global plug types
POWER CABLE	2-meter external cable, exits from the back
POWER USE	90W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	👤👤👤👤👤👤
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	634 KG / 1395 LB
FLOOR AREA	≈4.5m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement

COMINE BOOTH XL-B




SIZE

OUTSIDE

W2150 × D2100 × H2250 mm

INSIDE

W2003 × D2010 × H2005 mm



MATERIALS

- **OUTSIDE**
Strong aluminum frame (≥1.5mm thick)
1.0mm powder-coated steel wall panels
- Front: 6mm tempered glass;
Back: 10mm tempered glass.
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
Multi-layer wall: steel + sound felt + foam + 12mm PET panel
- Acoustic panels on ceiling and walls for better privacy
- 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 16 silent fans with a total airflow of 560m³/h
- Fully refreshes the air inside in just 1.5 minutes
- Adjustable speed with a quiet airflow system
- Top-in, top-out – gentle and quiet airflow

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), brightness adjustable, anti-glare, and flicker-free
CONTROL PANEL	Integrated light and fan controls with universal socket, USB, and Type-C – supports worldwide plugs
DESKTOP SOCKETS	2 universal outlets, 1 USB, 1 Type-C, and 1 wireless charger for added convenience
POWER CABLE	2-meter external cable, exits from the side
POWER USE	90W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	👤👤👤👤👤👤
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	667 KG / 1468 LB
FLOOR AREA	≈4.5m²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
OPTIONAL	Silent casters for easy movement



ACCESSIBLE WORK POD

Barrier-free design for everyone.

With smart door access, wide entry, and user-friendly controls, the Accessible Pod makes private workspaces easy and safe for people with reduced mobility.

ACCESSIBLE WORK POD M2-A



SIZE

OUTSIDE

W1555 × D1350 × H2172 mm

INSIDE

W1408 × D1202 × H2095 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame (≥ 1.5 mm thick)
 - 1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 4 silent fans with total airflow of 140m³/h
- Fully refreshes the air inside in 2 minutes
- Adjustable speed with a quiet airflow system
- Top-in, top-out – smooth, quiet, and gentle airflow

STANDARD FEATURES

LIGHTING	1 LED strip light (4000K natural light, DC 12V), brightness adjustable, anti-glare, and flicker-free
CONTROL PANEL	Built-in controls for lighting and fan speed, with universal socket, USB, and Type-C – supports worldwide use
POWER CABLE	2-meter external cable, connected from the side
POWER USE	105W, works with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

ACCESSIBLE POD

- Comine's accessible pod supports facial recognition, QR code, password, card, and manual access. The door opens and closes automatically with an electric closer and magnetic lock – simple, safe, and barrier-free.

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	1
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	312 KG / 686.5 LB
FLOOR AREA	≈2.1m ²
SOUNDPROOF	30±3 dB (ISO 23351-1 certified)
DESKTOP	Adjustable height desktop
OPTIONAL	Silent casters for easy movement

ACCESSIBLE WORK POD L2-A




SIZE

OUTSIDE

W2150 × D1350 × H2172 mm

INSIDE

W2003 × D1202 × H2095 mm



MATERIALS

- **OUTSIDE**
 - Strong aluminum frame ($\geq 1.5\text{mm}$ thick)
 - 1.0mm powder-coated steel wall panels
- 6mm tempered glass
- Solid wood door handle with magnetic close (smart lock optional)
- **INSIDE**
 - Multi-layer wall: steel + sound felt + foam + 12mm PET panel
 - Acoustic panels on ceiling and walls for better privacy
 - 8mm carpet – anti-static, stain-resistant, and mold-proof

VENTILATION SYSTEM

- 8 silent fans with a total airflow of $280\text{m}^3/\text{h}$
- Refreshes the entire pod in just 2 minutes
- Adjustable speed with quiet airflow design
- Air flows in and out from the top – gentle, quiet, and efficient

STANDARD FEATURES

LIGHTING	2 LED strip lights (4000K natural light, DC 12V), adjustable brightness, anti-glare, and flicker-free
CONTROL PANEL	Integrated light and fan controls with universal socket, USB, and Type-C – supports global plug types
POWER CABLE	2-meter external cable, exits from the back of the pod
POWER USE	129W, compatible with 110–220V
MOTION SENSOR	Lights and fan turn on when you enter, off when you leave

ACCESSIBLE POD

- Comine's accessible pod supports facial recognition, QR code, password, card, and manual access. The door opens and closes automatically with an electric closer and magnetic lock – simple, safe, and barrier-free.

CONFIGURATION INFORMATION

CAPACITY (NUMBER OF USERS)	👤👤👤👤
FRESH AIR / LIGHTING / SENSOR VOLTAGE	12V
WEIGHT	399 KG / 1197 LB
FLOOR AREA	$\approx 2.9\text{m}^2$
SOUNDPROOF	$30\pm 3\text{ dB}$ (ISO 23351-1 certified)
DESKTOP	Foldable desktop for easy entry and exit
OPTIONAL	Silent casters for easy movement



A QUIET CORNER IN A BUSY TERMINAL

Comine pods give travelers a private place to take calls, work, or rest—away from the noise and crowd.





FOCUS WITHOUT DISTRACTION

Comine pods create a soundproof study and discussion space inside libraries, helping users stay concentrated while keeping the library quiet.


隔音舱规模清单、搭配组合说明

XL

基础框架





组合




XL-B款+XL-B款吧桌+XL三人沙发*2

基础框架




组合




XL-A款+XL-A款吧桌+XL三人沙发*2

L2

基础框架





组合




L2-A款+L2-A款吧桌

L1

基础框架





组合




L1-B款+L1-B款吧桌+L双人沙发*2

基础框架





组合




L1-A款+L1-A款吧桌+L双人沙发*2

M2

基础框架





组合




M2-A款+M升降桌

SL

基础框架





组合




SL-B款+SL-B款吧桌+SL单人沙发*2

基础框架





组合




SL-A款+SL-A款吧桌+SL单人沙发*2

M1

基础框架





组合




M1-C款+M1-C款吧桌+吧椅*2

基础框架





组合




M1-C款+M1-C款吧桌+吧椅*2

基础框架




组合




M1-A款+M升降桌+办公椅(扬帆-01/启航-01)

S

基础框架



组合



S+吧椅


FURNITURE



SEATING




ACCESSORIES



MATERIAL OPTIONS


EXTERIOR COLORS



ACOUSTIC PANELS



CARPET



SOFA FABRIC



BAR STOOL FABRIC

